


ACCESSORIES:-

- * STANDARD - Fan Guard
- * OPTIONAL - Coolant Tank & Stone Guard

NOTE:-

- * Design & Dimensions are subjected to change without notice.
- * Fan & Motor not in scope of supply.
- * I/L - Inlet of CAC & O/L - Outlet of CAC.

MATERIAL DETAILS			
RADIATOR		CAC	
CORE	COPPER/BRASS	CORE	ALUMINUM
TANK	STEEL	TANK	ALUMINUM CASTING
SHROUD	STEEL		
PAINT:-		BLACK - PU	

RADIATOR		PART NO. - R6 205
DIMENSIONAL DETAILS (MM)		
CORE - A x B x T1	800 x 795 x 94	
FAN - ØC x D	30" x 506	
P x ØD1	960 x 45	
E x F x ØD2	225 x 37 x 45	
MOUNTING CTC - J	550	
H x L x W	1100 x 1060 x 387	
PERFORMANCE DETAILS		
HEAT DISSIPATION	59 KW	
AT AMBIENT (°C)	45	
AT WATER FLOW (LPM)	110	
AT AIR FLOW (m ³ /min)	249	
OPERATING PRESSURE	7 PSI	
MAX. TOP TANK TEMP.(°C)	100	

CAC	
STRUCTURAL DETAILS (MM)	
CORE - Q x R x T2	784 x 792 x 42
MOUNTING CTC - S	550
PERFORMANCE DETAILS	
HEAT DISSIPATION	15 KW
AT COMBUSTION AIR FLOW (Kg/Sec)	0.161
AIR INLET TEMP. CAC (°C)	165
AIR OUTLET TEMP. CAC (°C)	60
FAN AIR PR DROP RAD. + CAC	40 mm WATER
FIN DETAILS	
FIN TYPE (RAD.)	FLAT - NON LOUVERED
FPI	9
FIN TYPE (CAC)	LOUVERED SERPENTINE